CLIMATE CHANGE IN MASSACHUSETTS – ECOLOGICAL IMPACTS AND ADAPTATION

Hector Galbraith
Climate Change Program
Manomet Center for Conservation Sciences

CLIMATE CHANGE IN MASSACHUSETTS – ECOLOGICAL IMPACTS AND ADAPTATION

- 1. How will the climate change over the next century?
- 2. What effects might this have on Massachusetts ecosystems?
- 3. What can we do about it adaptation?


FUTURE CLIMATE CHANGE IN MASSACHUSETTS

- Most recent modeling by Hayhoe et al. 2006
- Projected T, precipitation, etc, for next few decades, until mid-century, until 2100 under:
 - Low emissions scenario (B1). Doubling of CO₂
 - High emissions scenario (A1F1). Tripling of CO₂

RESULTS OF GCM/EMISSIONS MODELING - TEMPERATURE

Projected Temperature Change (°F)			
	2030	2050	2100
Winter:	18.97 6 M B		
Low emissions	+2.5-4.0	+4.0-5.0	+5.0-8.0
High emissions	+2.5-4.0	+4.0-7.0	+8.0-12.0
Summer:			
Low emissions	+1.5-3.5	+2.0-5.0	+3.0-7.0
High emissions	+1.5-3.5	+4.0-5.0	+6.0-14.0
34 B. B. B. B.			


MIGRATION OF CLIMATE INDEX



RESULTS OF GCM/EMISSIONS MODELING - PRECIPITATION

- Under both scenarios: +10% annual increase
- Projections for summer variable, but probably little change (implications for evapotranspiration)
- Projections for winter +20-30%
- Less winter snow precip. More rain

SNOW-DAYS UNDER CLIMATE CHANGE




SNOW-DAYS UNDER CLIMATE CHANGE



If higher emissions prevail, a typical snow season may become increasingly rare in much of the Bortheasttoward the end of the century. The red line in the map captures the area of the northeastern United States that, historically, has had at least a dusting of snow on the ground for at least 30 days in the average year. The white area shows the projected retreat of this snow cover by late-century to higher altitudes and latitucies, suggesting a significant change in the character of a Northeast winter.

UCS (2007)

GLOBAL SEA LEVEL RISE



More recent analyses project 2-4.5 feet by 2100 under HES

ECOLOGICAL RESPONSES: WHAT TYPES OF EFFECTS MIGHT OCCUR?

- Distribution shifts:
 - Elevation
 - Latitude
- Shifts in timing of events (e.g., migration)
- Changes in communities
- Extinctions (5-37%)

Is there evidence that such changes are already occurring in northeast?

BIRDS MOVING NORTHWARD IN NEW ENGLAND

At least 20 species have extended breeding ranges north (by up to 200 miles) in last 50 years.

 Greatest range expansions in last 30 years (also period when climate change accelerated in North America)

BIRDS MOVING NORTHWARD IN NEW ENGLAND

Black vulture

Turkey vulture

Red-bellied woodpecker

Acadian flycatcher

Tufted titmouse

Carolina wren

Blue-gray gnat.

Mockingbird

Pine warbler

Cardinal

Orchard oriole

NORTHWARD RANGE CONTRACTIONS

Rusty blackbird Olive-sided flycatcher Blackpoll warbler Bicknell's thrush Cape May warbler Bay-breasted warbler Tennessee warbler

\boxtimes \boxtimes \boxtimes \boxtimes \boxtimes \boxtimes \boxtimes \boxtimes \boxtimes This atlas 2003 - 2007 POSSIBLE PROBABLE OR CONFIRMED \times \bigotimes First atlas 1977 -1981 \boxtimes **CONFIRMED PROBABLE** \boxtimes \boxtimes **POSSIBLE**

TUFTED TITMOUSE





TREE SWALLOW MOVES NORTH





BLACK-CAPPED CHICKADEE IN TROUBLE






CAROLINA CHICKADEE MOVES NORTH






PROJECTED FOREST CHANGES



WOOLY ADELGID UNDER CLIMATE CHANGE



CLIMATE CHANGE – WHAT WE KNOW

- The climate is changing
- Climate change is already affecting ecological systems:
 - range shifts
 - phenologies
 - population and community changes
 - * extinctions (5-37%)
- All this with less than 1 degree C change
- Projections over next century are for 3-5 degree increase (based on doubling of CO₂ from pre-industrial levels)

COMMITMENT TO WARMING AND ADAPTATION

- CTW = continued warming over next few decades
- Most scientists recognize that +2 degrees will bring about beginning of major ecological change (we already have had +0.7 degrees)
- Mitigation (emissions control) is not the entire solution we need to adapt!

ADAPTATION QUESTIONS

- Which ecosystems/species/sites are more or less vulnerable to cc and how should we allocate scarce resources?
- Ecological trajectories under climate change?
- Interaction with other stressors?
- How well will traditional conservation tools work in climate changed future?
- How do we avoid cures as bad as the illness?

ADAPTATION

Going to describe two studies aimed at addressing these questions:

- Sea level rise, coastal ecosystems, and shorebirds – USEPA funding
- Manomet, DFW, TNC collaborative adaptation project in Massachusetts – Doris Duke funding

SHOREBIRDS AND SEA LEVEL RISE




SHOREBIRDS AND SEA LEVEL RISE

- Shorebird populations are declining rapidly
- They are particularly vulnerable to climate change:
 - > sea level rise and habitat loss
 - > they breed at high latitudes
 - they are dependent on wind patterns for migration strategies
 - ecological synchronicities are important



Annual Change in Shorebird Populations



Based on migration counts in eastern N. America; Bart et al 2007. J Av. Biol

SHOREBIRDS AND SEA LEVEL RISE

- Objectives
 - Evaluate potential effects of sea level rise on shorebird habitat
 - Estimate future ability of sites to support existing shorebird populations.

Funded by USEPA ORD






SAN FRANCISCO BAY SHOREBIRDS


- One of most important North American staging sites
- About one million birds per season



Future Sea Level Rise at North (left) and South (right) San Francisco Bays



SOUTH SAN FRANCISCO BAY -CO2 DOUBLING



HOW WOULD BUILDING DIKES AFFECT HABITAT LOSS?

- Modeled potential effects of building dikes at Bolivar Flats
- Assumed that all builtup areas would be protected
- Intertidal habitat loss exacerbated by about 20%



SHOREBIRDS AND SEA LEVEL RISE

Two important adaptation messages:

- Climate-schlimate! Road to reducing impacts may go through mitigation of non-climate stressors
- Don't do anything too dumb in response to climate change!

CONSERVATION PLANNING - MASSACHUSETTS

- "Title" Planning and implementing adaptation to climate change in Massachusetts
- Collaborative project Manomet, DFW, TNC, etc.
- Funding Doris Duke Foundation through Wildlife Conservation Society
- Duration 18 months
- Begins April, 2008
- Similar projects being funded by DD in NM and Mid-Atlantic states

CONSERVATION PLANNING MASSACHUSETTS

- State has already developed (2005) Wildlife Action Plan (CWCS) "roadmap" for future conservation of wildlife and habitat
- Identifies 22 critical habitat types and 257 animals in "greatest conservation need"
- Priority strategy Proactive Habitat Protection
- CWCS acknowledges that climate change is likely to be major stressor – goes little further
- MA is way ahead of the game most SWAPS do not address implications of CC

CONSERVATION PLANNING MASSACHUSETTS

Questions:

- Which of focal areas, target habitats will be most affected by CC?
- 2. How will conservation values of protected areas change under CC?
- 3. How will CC affect future land acquisition priorities?
- 4. How effective will conservation approaches be under CC?
- 5. How should we modify our tools and approaches?

CONSERVATION PLANNING - MASSACHUSETTS

Objectives:

- Develop tools to evaluate relative vulnerabilities of habitats, focal areas, species under CC
- Project impacts on protected areas under CC
- Provide information to focus habitat acquisition priorities
- Evaluate effectiveness of conservation approaches/strategies for most vulnerable resources under CC
- Develop alternative approaches/strategies to enhance resilience

ADAPTATION - LAST WORDS

- Nothing is for sure we need to remain flexible, creative, and practice adaptive management
- Face up to tough choices what gets thrown off the raft?
- Seek win-win solutions

ADAPTATION - LAST WORDS

- We already practice lots of valuable approaches intensify!
- <u>Effective</u> monitoring is crucial indicators
- We already have lots of important baseline info. – use it!
- Bottom-up approaches needed